Village of Deerfield 2020 Water Quality Report

This report covers the drinking water quality for the Village of Deerfield for the 2020 calendar year. This information is a snapshot of the quality of the water that we provided to you in 2020. Included are details about where your water comes from, what it contains, and how it compares to Environmental Protection Agency (EPA) and state standards.

The State and EPA require us to test our water on a regular basis to ensure its safety. The Village missed one monitoring and reporting requirement for 2020 on our raw TOC samples.

The State performed an assessment of our source water to determine the susceptibility or the relative potential of contamination. The susceptibility rating is on a seven-tiered scale from "very-low" to "verysensitivity, high" based on geologic well construction, and water chemistry and contamination sources. The susceptibility of our source is Very High.

Your drinking water is pumped from the River Raisin to the Village's water treatment plant. Chemicals called Alum and polymer are added to the water to help combine smaller particles into larger particles, which are more easily removed in the clarification process. The water then passes through a series of sand filters to remove even smaller particulates. Approximately 75% of the water is then passed through the Reverse Osmosis (RO) filters to remove hardness and any remaining particulates. Some of the bypassed water is then mixed with the effluent from the RO filters to produce finished water with a moderate hardness of 150 ppm (or 8.7 grains per gallon). Finally, the water is disinfected with chlorine to kill any remaining bacteria. Fluoride is not added to the water, the Raisin River has naturally low fluoride level of 0 ppm, from laboratory test results.

The Deerfield water plant staff collects and test water samples from the river and throughout the treatment process several times a day. These tests ensure that the proper chemical levels are maintained and that any contaminants that cannot be removed by treatment are at safe levels.

In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water which provide the same protection for public health.

- Contaminants and their presence in water:
 Drinking Water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791).
- Sources of drinking water: The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. Our water comes from the River. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.
- Contaminants that may be present in source water include:
- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides, which may originate from a variety of sources such as agriculture and residential uses.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from; gas stations, urban storm water runoff, and septic systems.

2020 Water Quality Data

The table below lists all the drinking water contaminants that we detected during the 2020 calendar year. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done January 1 – December 31, 2020. The State allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. All of the data is representative of the water quality, but some are more than one year old.

Terms and abbreviations used below:

- <u>Maximum Contaminant Level (MCL):</u> The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- <u>Maximum Contaminant Level Goal (MCLG):</u> The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- <u>Maximum Residual Disinfectant Level (MRDL):</u> means the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- Maximum Residual Disinfectant Level Goal (MRDLG): means the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- NTU: Nephelometric Turbidity Units, a visual measurement of the cloudiness of water.
- N/A: Not applicable;
- **ppb:** parts per billion (ppb) or micrograms per liter (ug/L); **ppm:** parts per million (ppm) or milligrams per liter (mg/L);

<u>Action Level (AL):</u> The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow; <u>pCi/L:</u> picocuries per liter (a measure of radioactivity).

Nitrate (ppm)	Regulated Contaminant	MCL	MCLG	Level Detected	Range	Sampled	Violation Yes / No	Typical Source of Contaminant	
Dalapon (ppb) 200 200 1.4 <1.0-1.4 2/ year No Runoff from herbicides used on rights of way "Turbidity (NTU) TT N/A Highest = 0.126 10.0% Every two hours No fertilizer and aluminum factories." Total Organic Carbon (TOC) TT NA 62/8 is required) TTHMs =Total Tinhalomethanes (ppb) 80 N/A 62.8 29-70 Quarterly No Byproduct of drinking water disinfection (ppb) HAA5s = Total Haloacetic Acids (ppb) 80 N/A 36.8 19-46 Quarterly No Byproduct of drinking water disinfection (ppm) 4 4 A Quarterly (ppm) 4 4 A Quarterly No Byproduct of drinking water disinfection (ppm) 4 A A Quarterly No Byproduct of drinking water disinfection (ppm) 4 A A Quarterly No Byproduct of drinking water disinfection (ppm) 4 A A Quarterly No Byproduct of drinking water disinfection (ppm) No Byproduct of drinking water disin	Nitrate (ppm)	10	10	0.87	0.53-1.6	2019	No		
*Turbidity (NTU) TT N/A Highest = 100% Every two hours No Fertilizer and aluminum factories. *Turbidity (NTU) TT N/A Highest = 100% Every two hours No Fertilizer and aluminum factories. *Total Organic Carbon (TOC) TT NA (26% is required) Frequency (26%	Fluoride (ppm)	2	2	0.086	<.10-0.14	Quarterly	No		
Total Organic Carbon (TOC) TT NA Parennoval (26% is required) Total Organic Carbon (TOC) TTHMs = Total Trihlanes (ppb) HAA5s = Total Halaacetic Acids (ppb) Collorine (ppm) Contaminant Subject to AL Level (ppm) Lead (ppb) 15 0 2 0-7 Jan-Jun 2020 Copper (ppm) 1.3 1300 0.5 0-0.6 Jul-Dec 2020 0 Erosion of hausehold plumbing systems; Erosion of natural deposits; Leaching from wood preservatives Copper (ppm) 1.3 1300 0.3 0-0.6 Jul-Dec 2020 0 Comments Personal Paren Sampled Comments Personal Paren Sampled Comments Posterial Paren Sampled Comments	Dalapon (ppb)	200	200	1.4	<1.0-1.4	2 / year	No		
Total Organic Carbon (TOC) TT NA removal (26% is required) TTHMs = Total Trihlanmethanes (ppb) HAASs = Total Haloacetic Acids (ppm) Chlorine (ppm) Contaminant Subject to AL Lead (ppb) 15 0 2 0.5 0.6 10 10 10 10 10 10 10 10 10 1	*Turbidity (NTU)	TT	N/A		100%		No		
Trinalomethanes (ppb) HAA5s = Total Haloacetic Acids (ppb) Chlorine (ppm) Chlorine (ppm) At 4 4 Contaminant Subject to AL Lead (ppb) 15 0 2 0-7 2020 Copper (ppm) 1.3 1300 1.3 1300 Copper (ppm) Copper (ppm) 1.3 1300 Copper (ppm) Copper (pp		TT	NA	removal (26% is	67%-82%	Monthly	Yes	Naturally present in the environment	
Haloacetic Acids (ppb) Chlorine (ppm) A	Trihalomethanes	80	N/A	62.8	29-70	Quarterly	No	Byproduct of drinking water disinfection	
Contaminant Subject to Action Level Contaminant Subject to AL Lead (ppb) 15 0 2 0-7 Dependent Subject to AL Copper (ppm) 1.3 1300 15 0 1 1 15 0 1 1 15 0 1 1 15 0 1 1 15 0 1 1 15 0 1 1 15 0 1 1 15 0 1 1 15 0 1 1 15 0 1 1 15 0 15 0 15	Haloacetic Acids	60	N/A	36.8	19-46	Quarterly	No	Byproduct of drinking water disinfection	
Contaminant Subject to AL Action Level MCLG Percentile Value Range of Individual Results Year Sampled # of Samples > AL Lead (ppb) 15 0 2 0-7 Jan-Jun 2020 0 Lead Service Lines: Corrosion of household plumbing systems; Erosion of natural deposits Copper (ppm) 1.3 1300 0.5 0-0.6 Jan-Jun 2020 0 Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives Lead (ppb) 15 0 1 0-4 Jul-Dec 2020 0 Lead Service Lines: Corrosion of household plumbing systems; Erosion of natural deposits; Copper (ppm) 1.3 1300 0.3 0-0.6 Jul-Dec 2020 0 Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives Special Monitoring and Unregulated Contaminant ** Level Detected Range Year Sampled Comments				0.8	0.3-1.6	4 per month	No	Water additive used to control microbes	
Lead (ppb) 15 0 2 0-7 Jan-Jun 2020 0 Corrosion of household plumbing systems; Erosion of natural deposits	(ррпі)	4	4	th		·			
Lead (ppb) 15 0 2 0-7 Jan-Jun 2020 0 Lead Service Lines: Corrosion of household plumbing systems; Erosion of natural deposits Copper (ppm) 1.3 1300 0.5 0-0.6 Jan-Jun 2020 0 Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives Lead (ppb) 15 0 1 0-4 Jul-Dec 2020 0 Lead Service Lines: Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from deposits Copper (ppm) 1.3 1300 0.3 0-0.6 Jul-Dec 2020 0 Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives Special Monitoring and Unregulated Contaminant *** Level Detected Range Year Sampled Comments	-		MCLG	Percentile	Individual		Samples	Typical Source of Contaminant	
Copper (ppm) 1.3 1300 0.5 0-0.6 Jul-Dec 2020 0 Erosion of natural deposits; Leaching from wood preservatives Lead (ppb) 15 0 1 0-4 Jul-Dec 2020 0 Lead Service Lines: Corrosion of household plumbing systems; Erosion of natural deposits Copper (ppm) 1.3 1300 0.3 0-0.6 Jul-Dec 2020 0 Corrosion of household plumbing systems; Erosion of natural deposits Special Monitoring and Unregulated Contaminant ** Level Detected Range Year Sampled Comments	Lead (ppb)	15	0	2			0	plumbing systems; Erosion of natural	
Lead (ppb) 15 0 1 0-4 Jul-Dec 2020 0 plumbing systems; Erosion of natural deposits Copper (ppm) 1.3 1300 0.3 0-0.6 Jul-Dec 2020 0 Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives Special Monitoring and Unregulated Contaminant ** Level Detected Range Sampled Comments Comments	Copper (ppm)	1.3	1300	0.5	0-0.6		0	Erosion of natural deposits; Leaching from	
Copper (ppm) 1.3 1300 0.3 0-0.6 Jul-Dec 2020 0 Erosion of natural deposits; Leaching from wood preservatives Special Monitoring and Unregulated Contaminant ** Level Detected Range Sampled Comments Comments	Lead (ppb)	15	0	1	0-4	Jul-Dec 2020	0	plumbing systems; Erosion of natural	
Unregulated Contaminant ** Detected Range Sampled Comments	Copper (ppm)	1.3	1300	0.3	0-0.6	Jul-Dec 2020	0	Erosion of natural deposits; Leaching from	
0 1 ()					Range		Comments		
Sodium (ppm) 22 N/A 2020 I ypical source is erosion of natural deposits	Sodium (ppm)			22	N/A	2020	Typical source is erosion of natural deposits		

^{*} Turbidity reported are the highest single measurement and the lowest monthly percentage of samples meeting the turbidity limits for the filtration technology being used. 95% of samples in any given month must be lower than 0.300 NTU.

^{**} Unregulated contaminants are those for which EPA has not established drinking water standards. Monitoring helps EPA to determine where certain contaminants occur and whether it needs to regulate those contaminants.

Information about lead:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Village of Deerfield is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at 1-800-426-4791 or at http://www.epa.gov/safewater/lead.

Vulnerability of sub-populations:

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune systems disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Informational statements about the chemicals detected in your water:

About Our Turbidity: Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration system.

The River Raisin has historically experienced very high turbidity resulting from soil runoff from agricultural practices. The water plant is able to remove these particles to a level below the allowable limit of 0.3 NTU. Turbidity has no health effects. However, turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include; bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea, and associated headaches.

About our Nitrate Results: Nitrate in drinking water at levels above 10 ppm is a health risk. Infants below the age of six months who drink water containing nitrate in excess of the MCL could become seriously ill and, if untreated, may die. Symptoms include shortness of breath and blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant you should ask advice from your health care provider. Pregnant women and infants less than 6 months old will be advised to seek an alternative source of drinking water if nitrate levels exceed 10 ppm. The Village of Deerfield was in compliance with the MCL for nitrates in 2020 once again thanks to our R.O. water treatment system.

<u>Total Trihalomethanes (TTHMs):</u> TTHMs are a by-product of disinfection used in the treatment process. Compliance with the MCL of 80 ppb is determined by a Locational Running Annual Average (LRAA) calculated every calendar quarter. The Village of Deerfield has been in compliance with the MCLs for Total Trihalomethanes disinfection byproduct since August of 2016.

<u>Haloacetic Acids (HAA5s):</u> HAA5s are a by-product of disinfection used in the treatment process. Compliance with the MCL of 60 ppb is determined by a Locational Running Annual Average (LRAA) calculated every calendar quarter. The Village of Deerfield has been in compliance with the MCLs for Haloacetic Acids disinfection byproduct since August of 2011.

We will update this report annually and will keep you informed of any problems that may occur throughout the year, as they happen. Copies are available at Village of Deerfield Water Filtration Plant located at 439 W. River St. Deerfield, MI. 49238

We invite public participation in decisions that affect drinking water quality. The Deerfield Village Council meets at 7:00 pm on the first Monday of each month. Meetings are held at the Village hall located at 101 W. River St. Please feel free to come and participate. For more information about your water, or the contents of this report, contact Josh Crots at 517-447-3158. For more information about safe drinking water, visit the U.S. Environmental Protection Agency at www.epa.gov/safewater/.

Monitoring Requirements Not Met for the Village of Deerfield

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During November 2020 we did not complete all monitoring or testing for Total Organic Carbon (TOC) and therefore cannot be sure of the quality of our drinking water during that time. The RAW sample was missed but our finished water sample was taken. This violation **does not** pose a threat to your supply's water.

What should I do? There is nothing you need to do at this time. This is not an emergency. You do not need to boil your water or use alternative source water at this time. Even though this is not an emergency, as our customers, you have the right to know what happened and what we did to correct the situation.

The table below lists the contaminant we did not properly test for, how often we are supposed to sample for [this/these] contaminants, how many samples we are supposed to take, how many samples we took, when samples should have been taken, and the date the follow-up samples were collected.

Contamina	nt Ro	equired sampling frequency	Number of samples taken	When all samples should have been taken	Date additional samples were taken
Total Organ	nic	2 samples per	1	11/01/2020 to	N/A
Carbon		month		11/30/2020	

What happened? What is being done? We inadvertently missed taking a RAW sample within this required sampling period. We are making every effort to assure this does not happen again. All samples taken since then show that results met acceptable limits.

For more information, please contact the Village of Deerfield Water Treatment Facility at 57-447-3158, or the Michigan Department of Environment, Great Lakes, and Energy at 616-356-0500.

This notice is being sent to you by the Village of Deerfield.

Certification: WSSN: 01770

I certify that this water supply has fully complied with the public notification regulations in the Michigan Safe Drinking Water Act, 1976 PA 399, as amended, and the administrative rules.

Signature: Josh Crots Title: Village Superintendent Date Distributed: CCR Report